

Skupština Crne Gore  
Broj:00-56/18-90/1  
Mjesto i datum: Podgorica, 17. april 2018. godine

Na osnovu člana 30 Zakona o javnim nabavkama („Službeni list CG“, br. 42/11, 57/14, 28/15 i 42/17) i Pravilnika o sadržaju akta i obrascima za sprovođenje nabavki male vrijednosti („Službeni list CG“, br. 49/17), Skupština Crne Gore dostavlja

**ZAHTJEV ZA DOSTAVLJANJE PONUDA  
ZA NABAVKE MALE VRIJEDNOSTI**

**I Podaci o naručiocu**

Naručilac: Skupština Crne Gore	Lice za davanje informacija: Marija Vulić
Adresa: Bul. Sv. Petra Cetinjskog broj 10/ <b>Vuka Karadžića br. 2</b>	Poštanski broj: 81000
Sjedište: Podgorica	PIB (Matični broj): 02017482
Telefon: 020/404-552	Faks: -
E-mail adresa: <a href="mailto:marija.vulic@skupstina.me">marija.vulic@skupstina.me</a>	Internet stranica (web): <a href="http://www.skupstina.me">www.skupstina.me</a>

**II Predmet nabavke:**

- robe  
 usluge  
 radovi

**III Opis predmeta nabavke:**

Ekрани sa distribucijom.

**IV Procijenjena vrijednost nabavke:**

Procijenjena vrijednost nabavke sa uračunatim PDV-om iznosi **10.000,00 €**.

**V Tehničke karakteristike ili specifikacije**

R.B.	Opis predmeta nabavke, odnosno dijela predmeta nabavke	Bitne karakteristike predmeta nabavke u pogledu kvaliteta, performansi i/ili dimenzija	Jedinica mjere	Količina
1.	Mini konvertor HDMI - SDI	4K HDMI Input 2 x 6G-SDI Outputs Supports SD, HD, UHD 4K & DCI 4K Signals Automatic Input Signal Detection 24-Bit, 48 kHz Audio Analog & AES-EBU Digital Audio Inputs Embeds Audio Into SDI Output Settings via Mini Switches or Software USB 2.0 Port for Firmware Updates 12V	Kom	2
2.	Mini konvertor SDI - HDMI	Input (1) SDI (switchable between SD, HD & 3Gbs SDI) (1) SDI redundant input Output (1) HDMI (1) SDI (switchable between SD, HD & 3Gbs SDI) Audio Analog: (2) channels of professional balanced analog with standard 1/4" jack connections Digital: (2) channels of professional balanced digital with standard 1/4" jack connections, AES/EBU standard Power 12VDC	Kom	2
3.	Mini Converter - SDI to Audio	SDI Input SDI: Switchable between SD, HD and 3 Gb/s SDI SDI Redundant: Automatically switches over if main SDI input is lost Analog Audio 4 channels of professional balanced analog audio with standard 1/4 inch jack connections AES/EBU 8 channels of	Kom	1

		<p>professional balanced digital with standard 1/4 inch jack connections</p> <p>Format 625/25 PAL, 525/29.97 NTSC, 1080PsF23.98, 1080PsF24, 1080PsF25, 1080i50, 1080i59.94, 1080i60, 720p50, 720p59.94 and 720p60</p> <p>Sampling 4:2:2</p> <p>Power Requirements 12VDC</p>		
4.	Mini konvertor Audio - SDI	<p>SDI Input 1 x SDI on BNC (switchable between 3G/HD/SD)</p> <p>1 x 3G/HD/SD SDI redundant input (automatically switches over if main SDI input is lost)</p> <p>Audio Input 4 x 1/4" jacks support 4 channels of balanced analog audio or 8 channels of balanced AES/EBU digital audio</p> <p>SDI Output 1 x SDI on BNC (switchable between 3G/HD/SD)</p> <p>SDI Auto Switching Auto-detection of 3G/2K/HD/SD SDI</p> <p>Updates and Configuration Via USB 2.0 high speed (480 Mbps)</p> <p>Reclocking Yes</p> <p>SDI Compliance SMPTE 292M, SMPTE 259M, SMPTE 296M, SMPTE 372M, SMPTE 424M-B, SMPTE 425M, ITU-R BT.656, ITU-R BT.601</p> <p>SDI Video Rates SDI video connections are switchable between HD and SD</p> <p>SDI Video Sampling 4:2:2, 4:4:4</p> <p>SDI Audio Sampling Television standard sample rate of 48 kHz and 24 bit</p> <p>SDI Color Precision 4:2:2, 4:4:4</p>	Kom	1

		<p>SDI Color Space YUV, RGB</p> <p>SDI Auto Switching Automatically selects between 3G/HD/SD</p> <p>SDI Format Support 1080p/i at 60/59.94/50</p> <p>1080p at 30/29.97/25/24/23.98</p> <p>1080PsF30/29.97/25/24/23.98</p> <p>720p60/59.94/50</p> <p>525i59.94 NTSC</p> <p>625i50 PAL</p> <p>2K Format Support 2K DCI 25p/24p/23.98p</p> <p>2K DCI 25PsF/24PsF/23.98PsF</p> <p>Software Control Mac OS X and Windows software upgrade via USB</p> <p>Internal Software Upgrade Via included updater application</p> <p>Operating System Mac OS X 10.11 El Capitan, macOS Sierra or later</p> <p>Windows 8.1 or Windows 10</p> <p>Settings Control Mini Switches or USB software</p> <p>Power Supply +12 V universal power supply included with international socket adapters for all countries. Cable tie point.</p> <p>Power Consumption 8.4 W</p> <p>Operational Voltage Range 12 VDC</p>		
5.	Konvertor HDMI - VGA	<p>INPUTS</p> <p>1 PC/HD (RGBHV/YPbPr) on a 15-pin HD connector, 1 HDMI connector, 2 unbalanced stereo audio connectors on 3.5mm mini jacks</p> <p>OUTPUTS</p> <p>1 PC (RGBHV) on a 15-pin HD connector, 1 HDMI connector, 1 unbalanced stereo audio connector on a 3.5mm mini jack</p> <p>INPUT RESOLUTIONS</p>	Kom	1

Component: 480i, 576i, 480p,  
 576p, 720p@60Hz,  
 720p@50Hz, 1080i@60Hz,  
 1080i@50Hz, 1080p@60Hz,  
 1080p 50Hz, 1080p@24Hz,  
 1080p@25Hz, 1080p@30Hz  
 PC: VGA@60Hz, VGA@67Hz,  
 VGA@72Hz, VGA@75Hz,  
 VGA@85Hz, SVGA@56Hz,  
 SVGA@60Hz, SVGA@72Hz,  
 SVGA@75Hz, XGA@60Hz,  
 XGA@70Hz, XGA@75Hz,  
 SXGA@60Hz, SXGA@75Hz,  
 1280X960@60Hz,  
 1280X720@60Hz,  
 1920X1080@60Hz,  
 1600X1200@60Hz (UXGA),  
 1280x800@60Hz (WXGA),  
 1440x900@60Hz (WXGA+),  
 1366x768@60Hz (WXGA),  
 1400x1050@60Hz (SXGA+),  
 1680x1050@60Hz RB  
 (WSXGA), 1920x1200@60Hz  
 RB (WUXGA)  
 HDMI: 480i, 576i, 480p, 576p,  
 720p@60Hz, 720p@50Hz,  
 1080i@60Hz, 1080i@50Hz,  
 1080p@60Hz, 1080p@50Hz,  
 1080p@24Hz, 1080p@25Hz ,  
 1080p@30Hz, VGA@60Hz,  
 VGA@67Hz, VGA@72Hz,  
 VGA@75Hz, VGA@85Hz,  
 SVGA@56Hz, SVGA@60Hz,  
 SVGA@72Hz, SVGA@75Hz,  
 XGA@60Hz, XGA@70Hz,  
 XGA@75Hz, SXGA@60Hz,  
 SXGA@75Hz,  
 1280X960@60Hz,  
 1280X720@60Hz,  
 1920X1080@60Hz,  
 1600X1200@60Hz (UXGA),  
 1280x800@60Hz (WXGA),  
 1440x900@60Hz (WXGA+),  
 1366x768@60Hz (WXGA),  
 1400x1050@60Hz (SXGA+),  
 1600X900@60Hz RB,

		<p>1680x1050@60Hz RB (WSXGA), 1920x1200@60Hz RB (WUXGA)</p> <p>OUTPUT RESOLUTIONS</p> <p>NATIVE, 480i, 480p, 720p@60Hz, 1080i@60Hz, 1080p@60Hz, 576i, 576p, 720p@50Hz, 1080i@50Hz, 1080p@50Hz, 640x480, 800x600, 1024x768, 1280x1024, 1600x1200, 1366x768, 1680x1050, 1920x1200, 1280x800, 1440x900, 1400x1050, 1600x900</p> <p>OUTPUT REFRESH RATE</p> <p>60Hz for computer graphics resolutions, 50/60Hz for HDTV resolutions</p> <p>VIDEO LATENCY</p> <p>Progressive input: 30ms (approx.) interlaced input: 50ms (approx.)</p> <p>CONTROLS</p> <p>Front panel buttons, 1 remote contact closure on a 3-pin terminal block connector, 1 USB for programming</p> <p>INDICATORS</p> <p>ON, HDMI and PC LEDs</p> <p>POWER CONSUMPTION</p> <p>5V DC, 1.1A</p>		
6.	HDMI kabl	<p>TYPE</p> <p>High-speed HDMI cable</p> <p>RESOLUTIONS SUPPORTED</p> <p>Up to 4K @60Hz (4:4:4)</p> <p>SHIELD</p> <p>Dual overall shield against EMI/RFI interference, (a) Al-Mylar</p> <p>HDR, HDCP</p> <p>CL2</p> <p>Lenght 22,9m</p>	Kom	2

7.	1:8 HDMI Distribution Amplifier	<p>INPUT HDMI connector</p> <p>OUTPUTS 8 HDMI connectors</p> <p>BANDWIDTH 6.75Gbps (2.25Gbps per graphic channel)</p> <p>COMPLIANCE WITH HDMI STANDARD Supports HDMI and HDCP</p> <p>CONTROLS SELECT and READ buttons for selecting and storing EDID information</p> <p>INDICATOR LEDES OUTPUT STATUS 1 to 8</p> <p>POWER CONSUMPTION 100–240V AC, 50/60Hz 28VA</p>	Kom	1
8.	Ekran 65"	4K HDR, 18/7, 450 cd/m <sup>2</sup> , Android 6, X1 processor, IP control, RS232C control.	Kom	1
9.	Ekran 75"	4K HDR, 18/7, 450 cd/m <sup>2</sup> , Android 6, X1 processor, IP control, RS232C control.	Kom	1
10.	HD SDI kabl	HD SDI cable with BNC connectors, Lenght 50m	Kom	1

**Garantni rok:** tri godine za stavku 8 i 9, a za ostale stavke iz Tabele jedna godina od dana isporuke predmetne robe.

## VI Način plaćanja

Plaćanje će se izvršiti po isporuci predmeta javne nabavke, u roku od 30 dana od prijema fakture.

## VII Rok isporuke robe, izvođenja radova, odnosno pružanja usluge:

Rok izvršenja ugovora je 30 dana od dana zaključivanja Ugovora.

## VIII Kriterijum za izbor najpovoljnije ponude:

najniža ponuđena cijena broj bodova

## IX Rok i način dostavljanja ponuda

Ponude se predaju radnim danima od 10 do 12 sati, zaključno sa danom 23.04.2018. godine do 11 sati.

Ponude se mogu predati:

neposrednom predajom u kancelariji Biroa javnih nabavki na adresi Vuka Karadžića br 2, Podgorica;

preporučenom pošiljkom sa povratnicom na adresi Bulevar Svetog Petra Cetinjskog 10, Podgorica.

Javno otvaranje ponuda, kome mogu prisustvovati ovlašćeni predstavnici ponuđača sa priloženim punomoćjem potpisanim od strane ovlašćenog lica, održaće se dana 23.04.2018. godine u 11:30 sati, u prostorijama Skupštine Crne Gore, kancelarija Biroa za javne nabavke na adresi Vuka Karadžića br 2, Podgorica.

## X Rok za donošenje obavještenja o ishodu postupka

Tri dana od dana javnog otvaranja ponuda.

## XI Druge informacije

Ponuđač je dužan dostaviti **pisanu Izjavu** pod punom moralnom, materijalnom i krivičnom odgovornošću da ispunjava obavezne uslove iz člana 65 Zakona o javnim nabavkama. Obrazac Izjave je prilog ovog Zahtjeva za dostavljanje ponude.

### **Ostale informacije:**

Ponuđač sačinjava i podnosi ponudu u svemu prema Zahtjevu za dostavljanje ponude.

Ponuđač može do isteka roka za dostavljanje ponuda dostaviti samo jednu ponudu i ne može je



## Memorandum ponuđača

U skladu sa Odredbama Zakona o javnim nabavkama Crne Gore („Službeni list CG“, br. 42/11, 57/14, 28/15 i 42/17) i Pravilnika o sadržaju akta i obrascima za sprovođenje nabavki male vrijednosti („Službeni list CG“, br. 49/17) dajemo sljedeću

### **I Z J A V U**

Pod punom moralnom, materijalnom i krivičnom odgovornošću izjavljujemo da uslove iz člana 65 Zakona o javnim nabavkama („Službeni list CG“, br. 42/11, 57/14, 28/15 i 42/17) u potpunosti ispunjavamo.

Ova izjava je sastavni dio dokumentacije predmeta javne nabavke, tj. Zahtjeva za dostavljanje ponuda br: 00-56/18-90/1 od 17. aprila 2018. godine.

Potpis ovlašćenog lica ponuđača

---

Datum i mjesto potpisivanja

---